

Ref. No.:	PhO-LMX/P series-4,5,6
Date:	April 29, 2019

PRODUCT NOTICE

Dear Valued Customers,

The purpose of this Product Notice is to inform you that the following Antaira product series are under the End of Life (EOL) process and will be phased out on April 29, 2019.

EOL Notice Date	Phase Out Start Date	Last Buy End Date	Last Ship Date
April 29, 2019	April 29, 2019	Dec 31, 2019	Dec 31, 2019













EOL Products Series:















Model Name	Description
LMP-0501-M	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, 48~55VDC
LMP-0501-M-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, EOT: -40°C~75°C, 48~55VDC
LMP-0501-M-24	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, 12~36VDC
LMP-0501-M-24-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, 12~36VDC; EOT: -40°C~75°C
LMP-0501-S3	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, 48~55VDC
LMP-0501-S3-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km; EOT: -40°C~75°C
LMP-0501-S3-24	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, 12~36VDC
LMP-0501-S3-24-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, 12~36VDC; EOT: -40°C~75°C
LMP-0501-ST-M	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, 48~55VDC
LMP-0501-ST-M-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, EOT: -40°C~75°C, 48~55VDC
LMP-0501-ST-M-24	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC
LMP-0501-ST-M-24-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode

















	2Km, ST Connector, 12~36VDC; EOT: -40°C~75°C
LMP-0501-ST-S3	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, ST Connector, 48~55VDC
LMP-0501-ST-S3-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km; ST Connector; EOT: -40°C~75°C, 48~55VDC
LMP-0501-ST-S3-24	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, ST Connector, 12~36VDC
LMP-0501-ST-S3-24-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, ST Connector, 12~36VDC; EOT: -40°C~75°C
LMP-0600	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port) + 2*10/100Tx, 48~55VDC
LMP-0600-T	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port) + 2*10/100Tx; EOT: -40°C~75°C, 48~55VDC
LMP-0600-24	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*10/100Tx, 12~36VDC
LMP-0600-24-T	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port) and 2*10/100Tx, 12~36VDC, EOT: -40°C~75°C
LMP-0601G-SFP	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/Port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot, 48~55VDC
LMP-0601G-SFP-T	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/Port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot; EOT: -40°C~75°C, 48~55VDC
LMP-0601G-SFP-24	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot; 12~36VDC
LMP-0601G-SFP-24-T	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot; 12~36VDC; EOT: -40°C~75°C
LMP-0602-M	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Multi-Mode 2Km, 48~55VDC
LMP-0602-M-T	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Multi-Mode 2Km, EOT: -40°C~75°C, 48~55VDC
LMP-0602-M-24	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, 12~36VDC
LMP-0602-M-24-T	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, 12~36VDC; EOT: -40°C~75°C
LMP-0602-S3	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Single-Mode 30Km, 48~55VDC
LMP-0602-S3-T	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Single-Mode 30Km, EOT: -40°C~75°C, 48~55VDC
LMP-0602-S3-24	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, 12~36VDC
LMP-0602-S3-24-T	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, 12~36VDC; EOT: -40°C~75°C
LMP-0602-ST-M	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST













	connector, Multi-Mode 2Km, 48~55VDC
LMP-0602-ST-M-T	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST connector, Multi-Mode 2Km, EOT: -40°C~75°C, 48~55VDC
LMP-0602-ST-M-24	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC
LMP-0602-ST-M-24-T	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC; EOT: -40°C~75°C
LMP-0602-ST-S3	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST Connectors, Single-Mode 30Km, 48~55VDC
LMP-0602-ST-S3-T	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST Connectors, Single-Mode 30Km, EOT: -40°C~75°C, 48~55VDC
LMP-0602-ST-S3-24	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, ST Connector, 12~36VDC
LMP-0602-ST-S3-24-T	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, ST Connector, 12~36VDC; EOT: -40°C~75°C
LMX-0500	5-Port Industrial Managed Ethernet Switch w/5*10/100Tx
LMX-0500-T	5-Port Industrial Managed Ethernet Switch w/ 5*10/100Tx; EOT: -40°C~75°C
LMX-0501G-SFP	5-Port Industrial Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx + 1*100/1000 SFP Slot
LMX-0501G-SFP-T	5-Port Industrial Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx + 1*100/1000 SFP Slot; EOT: -40°C~75°C
LMX-0600	6-Port Industrial Managed Ethernet Switch w/6*10/100Tx
LMX-0600-T	6-Port Industrial Managed Ethernet Switch w/6*10/100Tx; EOT: -40°C~75°C
LMX-0601G-SFP	6-Port Industrial Gigabit Managed Ethernet Switch, w/5*10/100/1000Tx + 1*100/1000 SFP Slot
LMX-0601G-SFP-T	6-Port Industrial Gigabit Managed Ethernet Switch, w/5*10/100/1000Tx + 1*100/1000 SFP Slot; EOT: -40°C~75°C
LMX-0602-M	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km
LMX-0602-M-T	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km; EOT: -40°C~75°C
LMX-0602-S3	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km
LMX-0602-S3-T	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km; EOT: -40°C~75°C
LMX-0602-ST-M	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km, ST Connector
LMX-0602-ST-M-T	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km, ST Connector; EOT: -40°C~75°C
LMX-0602-ST-S3	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km, ST Connector
LMX-0602-ST-S3-T	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km, ST Connector; EOT: -40°C~75°C















Antaira is forced to announce the EOL process for the low-port count managed PoE and non-PoE switches. The EOL of these products is due to the inability to acquire all the necessary parts to build the units. We are currently replacing the phasing out switches with version 2 hardware as shown below.















Comparison Table					
Picture	EOL Model	Description	Picture	Alternative Model	Description
	LMP-0501-M	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Multi-Mode 2Km, 48~55VDC		LMP-0501-M-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Multi-Mode 2Km, 48~55VDC- Version 2 Hardware
	LMP-0501-M-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Multi-Mode 2Km, EOT: -40°C~75°C, 48~55VDC		LMP-0501-M-T-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Multi-Mode 2Km, EOT: -40°C~75°C, 48~55VDC- Version 2 Hardware
	LMP-0501-M-24	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Multi-Mode 2Km, 12~36VDC		LMP-0501-M-24-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Multi-Mode 2Km, 12~36VDC- Version 2 Hardware
	LMP-0501-M-24-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Multi-Mode 2Km, 12~36VDC; EOT: -40°C~75°C		LMP-0501-M-24-T-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Multi-Mode 2Km, 12~36VDC; EOT: -40°C~75°C- Version 2 Hardware
	LMP-0501-S3	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Single-Mode 30Km, 48~55VDC		LMP-0501-S3-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Single-Mode 30Km, 48~55VDC- Version 2 Hardware
	LMP-0501-S3-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Single-Mode 30Km; EOT: -40°C~75°C		LMP-0501-S3-T-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100F Single-Mode 30Km; EOT: -40°C~75°C- Version 2 Hardware



















	LMP-0501-S3-24	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, 12~36VDC		LMP-0501-S3-24-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, 12~36VDC- Version 2 Hardware
	LMP-0501-S3-24-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, 12~36VDC; EOT: -40°C~75°C		LMP-0501-S3-24-T-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, 12~36VDC; EOT: -40°C~75°C- Version 2 Hardware
	LMP-0501-ST-M	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, 48~55VDC		LMP-0501-ST-M-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, 48~55VDC- Version 2 Hardware
	LMP-0501-ST-M-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, EOT: -40°C~75°C, 48~55VDC		LMP-0501-ST-M-T-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, EOT: -40°C~75°C, 48~55VDC- Version 2 Hardware
	LMP-0501-ST-M-24	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC		LMP-0501-ST-M-24-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC- Version 2 Hardware
	LMP-0501-ST-M-24-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC; EOT: -40°C~75°C		LMP-0501-ST-M-24-T-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC; EOT: -40°C~75°C- Version 2 Hardware
	LMP-0501-ST-S3	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, ST Connector, 48~55VDC		LMP-0501-ST-S3-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, ST Connector, 48~55VDC- Version 2 Hardware



	LMP-0501-ST-S3-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km; ST Connector; EOT: -40°C~75°C, 48~55VDC		LMP-0501-ST-S3-T-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km; ST Connector; EOT: -40°C~75°C, 48~55VDC- Version 2 Hardware
	LMP-0501-ST-S3-24	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, ST Connector, 12~36VDC		LMP-0501-ST-S3-24-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, ST Connector, 12~36VDC- Version 2 Hardware
	LMP-0501-ST-S3-24-T	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, ST Connector, 12~36VDC; EOT: -40°C~75°C		LMP-0501-ST-S3-24-T-V2	5-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 1*100Fx Single-Mode 30Km, ST Connector, 12~36VDC; EOT: -40°C~75°C- Version 2 Hardware
	LMP-0600	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port) + 2*10/100Tx, 48~55VDC		LMP-0600-V2	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port) + 2*10/100Tx, 48~55VDC- Version 2 Hardware
	LMP-0600-T	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port) + 2*10/100Tx; EOT: -40°C~75°C, 48~55VDC		LMP-0600-T-V2	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port) + 2*10/100Tx; EOT: -40°C~75°C, 48~55VDC- Version 2 Hardware
	LMP-0600-24	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*10/100Tx, 12~36VDC		LMP-0600-24-V2	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*10/100Tx, 12~36VDC- Version 2 Hardware
	LMP-0600-24-T	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port) and 2*10/100Tx, 12~36VDC, EOT: -40°C~75°C		LMP-0600-24-T-V2	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port) and 2*10/100Tx, 12~36VDC, EOT: -40°C~75°C- Version 2 Hardware
	LMP-0601G-SFP	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/Port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot,		LMP-0601G-SFP-V2	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/Port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot,

		48-55VDC			48-55VDC- Version 2 Hardware
	LMP-0601G-SFP-T	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/Port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot; EOT: -40°C~75°C, 48-55VDC		LMP-0601G-SFP-T-V2	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/Port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot; EOT: -40°C~75°C, 48-55VDC- Version 2 Hardware
	LMP-0601G-SFP-24	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot; 12-36VDC		LMP-0601G-SFP-24-V2	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot; 12-36VDC- Version 2 Hardware
	LMP-0601G-SFP-24-T	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot; 12-36VDC; EOT: -40°C~75°C		LMP-0601G-SFP-24-T-V2	6-Port Industrial PoE+ Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx (30W/port) + 1*10/100/1000Tx + 1*100/1000 SFP Slot; 12-36VDC; EOT: -40°C~75°C- Version 2 Hardware
	LMP-0602-M	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Multi-Mode 2Km, 48-55VDC		LMP-0602-M-V2	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Multi-Mode 2Km, 48-55VDC- Version 2 Hardware
	LMP-0602-M-T	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Multi-Mode 2Km, EOT: -40°C~75°C, 48-55VDC		LMP-0602-M-T-V2	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Multi-Mode 2Km, EOT: -40°C~75°C, 48-55VDC- Version 2 Hardware
	LMP-0602-M-24	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, 12-36VDC		LMP-0602-M-24-V2	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, 12-36VDC- Version 2 Hardware

	LMP-0602-M-24-T	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, 12~36VDC; EOT: -40°C~75°C		LMP-0602-M-24-T-V2	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, 12~36VDC; EOT: -40°C~75°C- Version 2 Hardware
	LMP-0602-S3	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Single-Mode 30Km, 48~55VDC		LMP-0602-S3-V2	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Single-Mode 30Km, 48~55VDC- Version 2 Hardware
	LMP-0602-S3-T	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Single-Mode 30Km, EOT: -40°C~75°C, 48~55VDC		LMP-0602-S3-T-V2	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx SC Connectors, Single-Mode 30Km, EOT: -40°C~75°C, 48~55VDC- Version 2 Hardware
	LMP-0602-S3-24	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, 12~36VDC		LMP-0602-S3-24-V2	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, 12~36VDC- Version 2 Hardware
	LMP-0602-S3-24-T	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, 12~36VDC; EOT: -40°C~75°C		LMP-0602-S3-24-T-V2	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, 12~36VDC; EOT: -40°C~75°C- Version 2 Hardware
	LMP-0602-ST-M	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST Connectors, Multi-Mode 2Km, 48~55VDC		LMP-0602-ST-M-V2	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST Connectors, Multi-Mode 2Km, 48~55VDC- Version 2 Hardware
	LMP-0602-ST-M-T	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST Connectors, Multi-Mode 2Km, EOT: -40°C~75°C, 48~55VDC		LMP-0602-ST-M-T-V2	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST Connectors, Multi-Mode 2Km, EOT: -40°C~75°C, 48~55VDC- Version 2 Hardware

	LMP-0602-ST-M-24	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC		LMP-0602-ST-M-24-V2	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC- Version 2 Hardware
	LMP-0602-ST-M-24-T	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC; EOT: -40°C~75°C		LMP-0602-ST-M-24-T-V2	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Multi-Mode 2Km, ST Connector, 12~36VDC; EOT: -40°C~75°C- Version 2 Hardware
	LMP-0602-ST-S3	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST Connectors, Single-Mode 30Km, 48~55VDC		LMP-0602-ST-S3-V2	6-port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST Connectors, Single-Mode 30Km, 48~55VDC- Version 2 Hardware
	LMP-0602-ST-S3-T	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST Connectors, Single-Mode 30Km, EOT: -40°C~75°C, 48~55VDC		LMP-0602-ST-S3-T-V2	6-Port Industrial PoE+ Managed Ethernet Switch, with 4*10/100Tx (30W/Port), and 2*100Fx ST Connectors, Single-Mode 30Km, EOT: -40°C~75°C, 48~55VDC- Version 2 Hardware
	LMP-0602-ST-S3-24	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, ST Connector, 12~36VDC		LMP-0602-ST-S3-24-V2	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, ST Connector, 12~36VDC- Version 2 Hardware
	LMP-0602-ST-S3-24-T	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, ST Connector, 12~36VDC; EOT: -40°C~75°C		LMP-0602-ST-S3-24-T-V2	6-Port Industrial PoE+ Managed Ethernet Switch w/4*10/100Tx (30W/Port), and 2*100Fx Single-Mode 30Km, ST Connector, 12~36VDC; EOT: -40°C~75°C- Version 2 Hardware
	LMX-0500	5-Port Industrial Managed Ethernet Switch w/5*10/100Tx		LMX-0500-V2	5-Port Industrial Managed Ethernet Switch w/5*10/100Tx- Version 2 Hardware

	LMX-0500-T	5-Port Industrial Managed Ethernet Switch w/ 5*10/100Tx; EOT: -40°C~75°C		LMX-0500-T-V2	5-Port Industrial Managed Ethernet Switch w/ 5*10/100Tx; EOT: -40°C~75°C- Version 2 Hardware
	LMX-0501G-SFP	5-Port Industrial Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx + 1*100/1000 SFP Slot		LMX-0501G-SFP-V2	5-Port Industrial Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx + 1*100/1000 SFP Slot- Version 2 Hardware
	LMX-0501G-SFP-T	5-Port Industrial Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx + 1*100/1000 SFP Slot; EOT: -40°C~75°C		LMX-0501G-SFP-T-V2	5-Port Industrial Gigabit Managed Ethernet Switch, w/4*10/100/1000Tx + 1*100/1000 SFP Slot; EOT: -40°C~75°C- Version 2 Hardware
	LMX-0600	6-Port Industrial Managed Ethernet Switch w/6*10/100Tx		LMX-0600-V2	6-Port Industrial Managed Ethernet Switch w/6*10/100Tx- Version 2 Hardware
	LMX-0600-T	6-Port Industrial Managed Ethernet Switch w/6*10/100Tx; EOT: -40°C~75°C		LMX-0600-T-V2	6-Port Industrial Managed Ethernet Switch w/6*10/100Tx; EOT: -40°C~75°C- Version 2 Hardware
	LMX-0601G-SFP	6-Port Industrial Gigabit Managed Ethernet Switch, w/5*10/100/1000Tx + 1*100/1000 SFP Slot		LMX-0601G-SFP-V2	6-Port Industrial Gigabit Managed Ethernet Switch, w/5*10/100/1000Tx + 1*100/1000 SFP Slot- Version 2 Hardware
	LMX-0601G-SFP-T	6-Port Industrial Gigabit Managed Ethernet Switch, w/5*10/100/1000Tx + 1*100/1000 SFP Slot; EOT -40°C~75°C		LMX-0601G-SFP-T-V2	6-Port Industrial Gigabit Managed Ethernet Switch, w/5*10/100/1000Tx + 1*100/1000 SFP Slot; EOT -40°C~75°C- Version 2 Hardware
	LMX-0602-M	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km		LMX-0602-M-V2	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km- Version 2 Hardware
	LMX-0602-M-T	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km; EOT: -40°C~75°C		LMX-0602-M-T-V2	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km; EOT: -40°C~75°C- Version 2 Hardware

	LMX-0602-S3	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km		LMX-0602-S3-V2	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km- Version 2 Hardware
	LMX-0602-S3-T	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km; EOT: -40°C~75°C		LMX-0602-S3-T-V2	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km; EOT: -40°C~75°C- Version 2 Hardware
	LMX-0602-ST-M	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km, ST Connector		LMX-0602-ST-M-V2	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km, ST Connector- Version 2 Hardware
	LMX-0602-ST-M-T	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km, ST Connector; EOT: -40°C~75°C		LMX-0602-ST-M-T-V2	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Multi-Mode 2Km, ST Connector; EOT: -40°C~75°C- Version 2 Hardware
	LMX-0602-ST-S3	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km, ST Connector		LMX-0602-ST-S3-V2	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km, ST Connector- Version 2 Hardware
	LMX-0602-ST-S3-T	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km, ST Connector; EOT: -40°C~75°C		LMX-0602-ST-S3-T-V2	6-Port Industrial Managed Ethernet Switch w/4*10/100Tx + 2*100Fx Single-Mode 30Km, ST Connector; EOT: -40°C~75°C- Version 2 Hardware

Antaira appreciates your understanding and patience as we phase out the above items. If your project still requires any of the products being phased out, please contact your local Antaira sales representative or an authorized Antaira regional distributor. We will initiate the appropriate action to handle your request. Please note that all service rules (e.g., warranty) still apply after the products are phased out.

Regards,

Derrick Diep
 Product Coordinator
 ANTAIRA TECHNOLOGIES, LLC.